


WIRING		
PIN #		PIN #
1	-----	1
2	-----	2
3	-----	3
4	-----	4
5	-----	5



MATERIALS	
BODY:	BLACK PVC
CONTACTS:	GOLD PLATED COPPER ALLOY
CABLE:	22/5 CONTINUOUS FLEX BLACK TPE JACKET. 20MM FLEXES, MAX BEND RADIUS IS 10x CABLE O.D.
COUPLING:	NICKEL PLATED BRASS
INSERT:	POLYAMIDE
O-RING:	FPM

APPROVALS:	
US	UL LISTED
CANADA	C-UL LISTED

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS
DRAWING IS THE SOLE PROPERTY OF
MENCOM CORPORATION. ANY
REPRODUCTION IN PART OR AS A WHOLE
WITHOUT THE WRITTEN PERMISSION OF
MENCOM CORPORATION IS
PROHIBITED.

VOLTS	300V
AMPS	4A
TEMP:	105°C

UNLESS OTHERWISE SPECIFIED:	DRAWN BY	ADM
DIMENSIONS ARE IN INCHES AND [MM]	DRAWN DATE	09/22/2016
	CHECKED BY	
	CHECK DATE	
MATERIAL	COMMENTS:	
FINISH		
DO NOT SCALE DRAWING		

TABLE A		
P/N	L	STD?
MDCWF-5MFRP-0.5M-B	20" [0.5M]	YES
MDCWF-5MFRP-1M-B	40" [1M]	YES
MDCWF-5MFRP-2M-B	79" [2M]	YES
MDCWF-5MFRP-3M-B	118" [3M]	YES
MDCWF-5MFRP-4M-B	157" [4M]	YES
MDCWF-5MFRP-5M-B	197" [5M]	YES
MDCWF-5MFRP-6M-B	236" [6M]	YES
MDCWF-5MFRP-8M-B	315" [8M]	NO
MDCWF-5MFRP-10M-B	393" [10M]	YES
MDCWF-5MFRP-15M-B	590" [15M]	YES
MDCWF-5MFRP-20M-B	786" [20M]	NO
MDCWF-5MFRP-25M-B	983" [25M]	NO
MDCWF-5MFRP-30M-B	1179" [30M]	NO

PARTS LISTED AS NOT BEING STANDARD
MAY HAVE MINIMUM ORDER QUANTITIES

MENCOM CORPORATION			
TITLE: 5 PL MDC M-F HI-FLX CBL			
SIZE B	DWG. NO. MDCWF-5MFRP-ZZ-B		REV A
SCALE: 1.5:1		WEIGHT:	SHEET 1 OF 1