

# P | Cabling

## Data sheet

### Keystone wall outlet surface mounted 3 port unequipped pure white


Page 1/5

P/N  
130B20D30002KE  
EAN 4250184157786  
2023/04/24  
Version: S


## Illustrations



Dimensional drawing



Drill pattern



See enlarged drawings at the end of document

## Product specification

- surface-mounted termination unit 85 x 85 x 35 mm
- for individual modules with Keystone design (please note: E-DAT modul couplers 8(8) only fit with an appropriate patch cable)
- module plug direction 45° downwards
- strain relief on the module
- with label window for enclosed identification labels
- label sheet 209 x 294 mm see accessory
- integrated dust protection covers (also colored versions available)
- cover parts in pure white RAL 9010, structured surface with matt finish
- Variants: 1 port, 2 ports, 3 ports



# P | Cabling

## Data sheet

Page 2/5

## Keystone wall outlet surface mounted 3 port unequipped pure white

P/N

130B20D30002KE

EAN 4250184157786

2023/04/24

Version: S

### Technical Data

#### General Data

|                                               |                                        |
|-----------------------------------------------|----------------------------------------|
| Fields of application                         | office areas                           |
| Mechanical measurement according to MICE      | M1                                     |
| Ingress measurement according to MICE         | I1                                     |
| Climatic measurement according to MICE        | C1                                     |
| Electromagnetic measurement according to MICE | E3                                     |
| Design                                        | wall outlet                            |
| Mounting style                                | AP                                     |
| Color                                         | Pure white RAL 9010                    |
| Dimensions                                    |                                        |
| Dimension (L x W x H)                         | 85 mm x 42.9 mm x 85 mm                |
| Dimension (L x W x H)                         | 3.346 in. x 1.689 in. x 3.346 in.      |
| Labeling option                               | label window with identification label |
| Marking option                                | by dust protection                     |

#### Connections/interfaces

|                                                  |               |
|--------------------------------------------------|---------------|
| Number of ports interface 2                      | 3             |
| Number of ports interface 2 equipped             | 0             |
| Number of ports with dust protection interface 2 | 3             |
| Module plug-in direction                         | 45° downwards |

#### Mechanical data

|               |                    |
|---------------|--------------------|
| Cut-out       | Keystone           |
| strain relief | attached to module |

#### Materials and material properties

|                                |                       |
|--------------------------------|-----------------------|
| Material - Supporting frame    | GD-Zn (zinc die-cast) |
| Material - Surface mount frame | ABS, impact resistant |
| Material - Cover part(s)       | ABS                   |
| Material - Label window        | ABS, transparent      |
| Material - Dust protection     | ABS                   |
| Halogen free                   | yes                   |
| RoHS                           | compliant             |



# P | Cabling

Data sheet

Page 3/5

## Keystone wall outlet surface mounted 3 port unequipped pure white

P/N

130B20D30002KE

EAN 4250184157786

2023/04/24

Version: S

### Technical Data

#### Classifications

|          |          |
|----------|----------|
| ETIM 5.0 | EC001264 |
| ETIM 6.0 | EC001264 |
| ETIM 7.0 | EC001264 |
| ETIM 8.0 | EC001264 |
| ETIM 9.0 | EC001264 |

#### Packing details

|                                 |                                   |
|---------------------------------|-----------------------------------|
| Type of packaging               | 10 pc(s) / box                    |
| Packaging unit - Weight (gram)  | 1110 g                            |
| Packaging unit - Weight (pound) | 2.45 lb                           |
| Packaging dimension             | 240 mm x 170 mm x 140 mm          |
| Packaging dimension             | 9.449 in. x 6.693 in. x 5.512 in. |



# P | Cabling

Data sheet

Page 4/5

## Keystone wall outlet surface mounted 3 port unequipped pure white

P/N

130B20D30002KE

EAN 4250184157786

2023/04/24

Version: S

### Accessories

| P/N           | Designation                                    |
|---------------|------------------------------------------------|
| 820394-0105-I | Dust protection covers for wall outlets yellow |
| 820394-0106-I | Dust protection covers for wall outlets blue   |
| 820394-0107-I | Dust protection covers for wall outlets green  |
| 820394-0108-I | Dust protection covers for wall outlets red    |
| 899650-01     | Label sheet for wall outlets                   |



# P | Cabling

Data sheet


Page 5/5

**Keystone wall outlet surface mounted 3 port  
unequipped pure white**

P/N  
130B20D30002KE  
EAN 4250184157786  
2023/04/24  
Version: S

## Illustrations

Dimensional drawing



Drill pattern

