

Data sheet

Coding star white with a group of 6 coding pins

Page 1/5

P/N
700025-01-9


2023/06/23

Version: H

Illustrations



Dimensional drawing



See enlarged drawings at the end of document

Product specification

- The coding pins are inserted into the slots provided in the terminal block and respective header. The coding pin with the bridge will be inserted into the header.
- This method of coding does not result in any circuit loss. Please refer to the drawing below for further details.
- Group of 6 coding pins



U | Contact

Data sheet

Page 2/5

Coding star white with a group of 6 coding pins

P/N
700025-01-9

2023/06/23

Version: H

Technical Data

Material

insulating material	PA66
Glow-Wire Flammability GWFI	960 °C acc. to IEC 60695-2-12
Glow-Wire Flammability GWIT	775 °C acc. to IEC 60695-2-13



Accessories from

P/N	Designation
312131	RP036xxHBLC Type 213
312132	RP03AxxHBLC Type 213
312141	RP036xxHBLD Type 214
312142	RP03AxxHBLD Type 214
312171	RP036xxHBLF Type 217
312172	RP03AxxHBLF Type 217
312181	RP036xxHBLS Type 218
312182	RP03AxxHBLS Type 218
312491	RP016xxVBLC Type 249
312502	RP01AxxSBLC Typ 250
312511	RP016xxVBLF Type 251
312512	RP01AxxVBLF Type 251
312621	RP018xxVBLC Type 262
312622	RP01KxxVBLC Typ 262
313131	RP035xxHBLC Type 313
313132	RP039xxHBLC Type 313
313141	RP035xxHBLD Type 314
313481	RP085xxVBLC Type 348
313491	RP015xxVBLC Type 349
313492	RP019xxVBLC Type 349
313501	RP015xxSBLC Type 350
313502	RP019xxSBLC Typ 350
313511	RP015xxVBLF Type 351
313512	RP019xxVBLF Type 351
ASP045	SP045xxVBNC ASP045
ASP046	SP046xxVBNC ASP046
ASP049	SP049xxVBNC ASP049
ASP04A	SP04AxxVBNC ASP04A
ASP125	SP125xxVBNN ASP125
ASP129	SP129xxVBNN ASP129
SP065XXVBNC	SP065xxVBNC
SP066XXVBNC	SP066xxVBNC
SP066XXVBPC	SP066xxVBPC
SP995XXVBNC	SP995xxVBNC

U | Contact

Data sheet

Page 4/5

Coding star white with a group of 6 coding pins

P/N
700025-01-9

2023/06/23

Version: H

Accessories from



U | Contact

Data sheet

Page 5/5

Coding star white with a group of 6 coding pins

P/N
700025-01-9

2023/06/23

Version: H

Illustrations

Dimensional drawing

