

Data sheet

Mounting flange gray for type ASP025


Page 1/4

P/N
720036-01-4


2023/06/23

Version: O

Illustrations



Dimensional drawing



See enlarged drawings at the end of document

Product specification

- The mounting flange is inserted into the mounting hole in the side of the terminal block and secured to the printed circuit board by being press fit into the hole in the printed circuit board
- Mounting flanges for left and right side are necessary for mounting.
- Variants: 720036-01-4 gray for pc board 1.0 mm / 0.039 inches, 720036-02-2 black for pc board 1.50 mm / 0.059 inches



U | Contact

Data sheet

Page 2/4

Mounting flange gray for type ASP025

P/N
720036-01-4

2023/06/23

Version: O

Technical Data

Material

insulating material	PA66
Glow-Wire Flammability GWFI	960 °C acc. to IEC 60695-2-12
Glow-Wire Flammability GWIT	775 °C acc. to IEC 60695-2-13



U | Contact

Data sheet

Page 3/4

Mounting flange gray for type ASP025

**P/N
720036-01-4**

2023/06/23

Version: O

Accessories from

P/N	Designation
ASP025	SP025xxHDNC ASP025
ASP0250204-001	SP02502HDNC ASP0250204-001
ASP0250304-001	SP02503HDNC ASP0250304-001
ASP0250404-004	SP02504HDNC ASP0250404-004
ASP0250504-002	SP02505HDNC ASP0250504-002
ASP0250599-000	SP02505HMNC000 PROFINET
ASP0250804-004	SP02508HDNC ASP0250804-004
ASP029	SP029xxHDNC ASP029

U | Contact

Data sheet

Mounting flange gray for type ASP025

Page 4/4

P/N
720036-01-4

2023/06/23

Version: O

Illustrations

Dimensional drawing

