

## Data sheet

### Subway underfloor unit GB3 Modul 12 port unequipped pearl white

Page 1/5

P/N

1309361201-E

EAN 4250184106401


2023/04/11

Version: P

## Illustrations



Dimensional drawing



See enlarged drawings at the end of document

## Product specification

- termination unit for mounting in service outlets for underfloor systems
- suitable for underfloor service outlets of OBO Bettermann (Ackermann) and some types of :hager (Electraplan Solutions)
- GB3 design
- incl. module frame, caps and dummy covers
- module plug direction 45° upwards
- with label window for enclosed identification labels
- label sheet 209 x 294 mm see accessories
- integrated dust protection covers (also colored)
- color: black device casing, pearl white covers
- variants: 3 ports, 6 ports, 9 ports, 12 ports



# P | Cabling

Data sheet

Page 2/5

## Subway underfloor unit GB3 Modul 12 port unequipped pearl white

P/N

1309361201-E

EAN 4250184106401

2023/04/11

Version: P

### Technical Data

#### General Data

|   |  |
|---|--|
| Fields of application                         | office areas                           |
| Mechanical measurement according to MICE      | M1                                     |
| Ingress measurement according to MICE         | I1                                     |
| Climatic measurement according to MICE        | C1                                     |
| Electromagnetic measurement according to MICE | E3                                     |
| Design  | wall outlet                            |
| Mounting style                                | GB3                                    |
| Color   | pearl white RAL 1013                   |
| Dimensions                                    |  |
| Dimension (L x W x H)                         | 54.5 mm x 73 mm x 244 mm               |
| Dimension (L x W x H)                         | 2.146 in. x 2.874 in. x 9.606 in.      |
| Labeling option                               | label window with identification label |
| Marking option                                | by dust protection                     |

#### Connections/interfaces

|  |             |
|--|-------------|
| Number of ports interface 2                      | 12          |
| Number of ports interface 2 equipped             | 0           |
| Number of ports with dust protection interface 2 | 12          |
| Module plug-in direction                         | 45° upwards |

#### Mechanical data

|         |        |
|---------|--------|
| Cut-out | module |
|---------|--------|

#### Materials and material properties

|                             |                       |
|-----------------------------|-----------------------|
| Material - Supporting frame | GD-Zn (zinc die-cast) |
| Material - Cover part(s)    | ABS                   |
| Material - Label window     | ABS, transparent      |
| Material - Dust protection  | ABS                   |
| Halogen free                | yes                   |
| RoHS                        | compliant             |



# P | Cabling

Data sheet

Page 3/5

## Subway underfloor unit GB3 Modul 12 port unequipped pearl white

P/N

1309361201-E

EAN 4250184106401

2023/04/11

Version: P

### Technical Data

#### Approvals

UL listed (file no.)



DUXR.E178484

#### Classifications

|          |          |
|----------|----------|
| ETIM 5.0 | EC001264 |
| ETIM 6.0 | EC001264 |
| ETIM 7.0 | EC001264 |
| ETIM 8.0 | EC001264 |
| ETIM 9.0 | EC001264 |

#### Packing details

|                                 |                                    |
|---------------------------------|------------------------------------|
| Type of packaging               | 1 pc(s) / plastic bag              |
| Packaging unit - Weight (gram)  | 398 g                              |
| Packaging unit - Weight (pound) | 0.88 lb                            |
| Packaging dimension             | 160 mm x 100 mm x 380 mm           |
| Packaging dimension             | 6.299 in. x 3.937 in. x 14.961 in. |

# P | Cabling

Data sheet

Page 4/5

## Subway underfloor unit GB3 Modul 12 port unequipped pearl white

P/N

1309361201-E

EAN 4250184106401

2023/04/11

Version: P

### Accessories

| P/N           | Designation   |
|---------------|---|
| 130910-I      | E-DAT modul Cat.6 <sub>A</sub> 8(8) jack, T568A                   |
| 130910-I-B1   | E-DAT modul Cat.6 <sub>A</sub> 8(8) jack, T568B                   |
| 130910-Z      | E-DAT modul Cat.6 <sub>A</sub> 8(8) jack, T568A (12 pcs)          |
| 1309310099-I  | GB fastening kit PUK  |
| 1309320001-I  | Subway blind cover  |
| 1309320301-E  | Subway 3 port cover   |
| 1309330300-E  | Subway 3 port module frame  |
| 1309380101-I  | Subway DIN device frame   |
| 13093EP3-E    | Subway underfloor unit GBV3D unequipped                           |
| 13093EPAK3-E  | Mounting plate for GBV 3 x Keystone cut-out                       |
| 13093EPAM3-E  | Mounting plate for GBV 4 x module cut-out                         |
| 1309A0-I      | E-DAT modul coupler 8(8) 180° class E <sub>A</sub>                |
| 130B11-E      | C6 <sub>A</sub> modul 180° jack                                   |
| 816979-0103-I | Dust protection covers for Modul patch panels subway / REG gray   |
| 816979-0105-I | Dust protection covers for Modul patch panels subway / REG yellow |
| 816979-0106-I | Dust protection covers for Modul patch panels subway / REG blue   |
| 816979-0107-I | Dust protection covers for Modul patch panels subway / REG green  |
| 816979-0108-I | Dust protection covers for Modul patch panels subway / REG red    |
| 899650-01     | Label sheet for wall outlets                                      |

# P | Cabling

Data sheet

Page 5/5

## Subway underfloor unit GB3 Modul 12 port unequipped pearl white

P/N

1309361201-E

EAN 4250184106401

2023/04/11

Version: P

### Illustrations

Dimensional drawing

