

Data sheet

Keystone faceplate 2 port stainless steel unequipped

Page 1/3

P/N

1355022-SSL-E

EAN 4250184118534


2023/04/11

Version: L

Illustrations



Dimensional drawing



See enlarged drawings at the end of document

Product specification

- stainless steel, US-style 70 x 115 mm for single port for all individual modules with keystone design
- strain relief by cable ties at the module
- variants: 2 ports, 4 ports



P | Cabling

Data sheet

Page 2/3

Keystone faceplate 2 port stainless steel unequipped

P/N

1355022-SSL-E

EAN 4250184118534

2023/04/11

Version: L

Technical Data

General Data

| | |
|---|---|
| Fields of application | structured building cabling office areas |
| Mechanical measurement according to MICE | M1 |
| Ingress measurement according to MICE | I1 |
| Climatic measurement according to MICE | C1 |
| Electromagnetic measurement according to MICE | E3 |
| Design | wall outlet |

Connections/interfaces

| | |
|-----------------------------|---|
| Number of ports interface 2 | 2 |
|-----------------------------|---|

Mechanical data

| | |
|---------------|-----------|
| strain relief | cable tie |
|---------------|-----------|

Materials and material properties

| | |
|--------------------------|-----------------|
| Material - Cover part(s) | stainless steel |
| Halogen free | yes |

Classifications

| | |
|----------|----------|
| ETIM 5.0 | EC001264 |
| ETIM 6.0 | EC001264 |
| ETIM 7.0 | EC000007 |
| ETIM 8.0 | EC000007 |

Packing details

| | |
|-------------------|-----------------------|
| Type of packaging | 1 pc(s) / plastic bag |
|-------------------|-----------------------|



P | Cabling

Data sheet

Page 3/3

Keystone faceplate 2 port stainless steel unequipped

P/N

1355022-SSL-E

EAN 4250184118534

2023/04/11

Version: L

Illustrations

Dimensional drawing

