

Data sheet

AJT1DA, C6_A FTP, black

Page 1/4

P/N
AJT1DA8813-5150


2023/07/04

Version: F


Illustrations



Dimensional drawing



Drill pattern



See enlarged drawings at the end of document

Product specification

- RJ45 Jack
- Single port
- Side entry
- shielded
- suitable for transmission category C6_A
- Housing color black
- THT solderable
- suitable for mounting rail housing



U | Contact

Data sheet

AJT1DA, C6_A FTP, black

Page 2/4

P/N
AJT1DA8813-5150

2023/07/04

Version: F

Technical Data

General Data	
Design	RJ45
Ports	Single port
Dimensions	
Dimension (L x W x H)	14.5 mm x 15 mm x 18 mm
Dimension (L x W x H)	0.571 in. x 0.591 in. x 0.709 in.
direction of connection of the cable to PCB	side entry
Mounting style	side entry
Position of latch	top
Number of contacts	8P/8C
Color	black
Shielding	yes
Protection category	IP 20
soldering method	THT
Material	
insulating material	PBT
Insulating material class	CTI 175
Insulation material colour	black
Contact material	CuSn
Contact surface	Ni + Au
Shield material	CuSn
Shield finish material	Sn
Special features	30 µ" Au
Climatic Data	
upper limit temperature	70 °C
lower limit temperature	-40 °C
Electrical characteristics	
Rated voltage	max. 50 V
Contact resistance	max. 20 mOhm
Insulation resistance	min. 500 MOhm
Current carrying capacity at 50 °C	1 A
Dielectric strength conductor-conductor (primarily)	max. 1000 V DC

U | Contact

Data sheet

AJT1DA, C6_A FTP, black

Page 3/4

P/N
AJT1DA8813-5150

2023/07/04

Version: F

Technical Data

Electrical characteristics

Dielectric strength conductor-shield	max. 1500 V DC
--------------------------------------	----------------

Transmission characteristics

HF category	Cat.6 _A
-------------	--------------------

Mechanical data

Insertion force	30 N
-----------------	------

Life - Number of mating cycles	>= 750
--------------------------------	--------

Standards and approvals

Standards	IEC 60603-7
-----------	-------------

Classifications

ETIM 5.0	EC002637
----------	----------


ETIM 6.0	EC002637
----------	----------

ETIM 7.0	EC002637
----------	----------

ETIM 8.0	EC002637
----------	----------

Illustrations

Dimensional drawing



Drill pattern

