

# P | Cabling

## Data sheet

### Central plate 50 x 50 mm 3 port, pure white, modul

Page 1/5

P/N

860210-0402-I

EAN 4251394640341


2023/04/04

Version: B

## Illustrations



Dimensional drawing



See enlarged drawings at the end of document

## Product specification

- 3 port, extension of UP0 wall outlets to UPk wall outlets
- suitable for all modular wall outlets
- matt surface
- with label window for enclosed identification labels
- label sheet 209 x 294 mm see accessory
- integrated dust protection covers (also colored)
- traffic white (RAL 9016), pure white (RAL 9010) or pearl white (RAL 1013)
- variants: traffic white, pure white, pearl white



# P | Cabling

## Data sheet

Page 2/5

## Central plate 50 x 50 mm 3 port, pure white, modul

P/N

860210-0402-I

EAN 4251394640341

2023/04/04

Version: B

### Technical Data

#### General Data

|                                               |                                   |
|-----------------------------------------------|-----------------------------------|
| Mechanical measurement according to MICE      | M1                                |
| Ingress measurement according to MICE         | I1                                |
| Climatic measurement according to MICE        | C1                                |
| Electromagnetic measurement according to MICE | E3                                |
| Design                                        | wall outlet                       |
| Color                                         | Pure white RAL 9010               |
| Dimensions                                    |                                   |
| Dimension (L x W x H)                         | 50 mm x 50 mm x 10.7 mm           |
| Dimension (L x W x H)                         | 1.969 in. x 1.969 in. x 0.421 in. |

#### Connections/interfaces

|                                      |   |
|--------------------------------------|---|
| Number of ports interface 2          | 3 |
| Number of ports interface 2 equipped | 0 |

#### Materials and material properties

|              |           |
|--------------|-----------|
| Material     | ABS       |
| Halogen free | yes       |
| RoHS         | compliant |

#### Classifications

|          |          |
|----------|----------|
| ETIM 5.0 | EC001264 |
| ETIM 6.0 | EC001264 |
| ETIM 7.0 | EC001264 |
| ETIM 8.0 | EC001264 |
| ETIM 9.0 | EC001264 |

# P | Cabling

Data sheet

Page 3/5

**Central plate 50 x 50 mm 3 port, pure white, modul**

P/N

860210-0402-I

EAN 4251394640341

2023/04/04

Version: B

## Accessories

| P/N           | Designation                                    |
|---------------|------------------------------------------------|
| 820394-0105-I | Dust protection covers for wall outlets yellow |
| 820394-0106-I | Dust protection covers for wall outlets blue   |
| 820394-0107-I | Dust protection covers for wall outlets green  |
| 820394-0108-I | Dust protection covers for wall outlets red    |
| 899650-01     | Label sheet for wall outlets                   |



# P | Cabling

Data sheet

Page 4/5

Central plate 50 x 50 mm 3 port, pure white, modul

P/N

860210-0402-I

EAN 4251394640341

2023/04/04

Version: B

## Accessories from

| P/N            | Designation                                |
|----------------|--------------------------------------------|
| 1309131200-E   | E-DAT modul 3 port UP0 Cat.6 <sub>A</sub>  |
| 1309141200-E   | Modul wall outlet UP0 3 port unequipped    |
| 130B11D31200-E | C6 <sub>A</sub> modul 3 port 180°M UP0     |
| 130B12D31200-E | C6 <sub>A</sub> modul 3 port 270°M UP0     |
| 130B20D31200KE | Keystone wall outlet UP0 3 port unequipped |



# P | Cabling

Data sheet

Page 5/5

Central plate 50 x 50 mm 3 port, pure white, modul

P/N

860210-0402-I

EAN 4251394640341

2023/04/04

Version: B

## Illustrations

Dimensional drawing

