

Data sheet

PC board jack M12, A-coded, 2-pole, IP67,
rear mounting, in individual parts


Page 1/4

P/N
MMT371A915-0001
EAN 4251394632339
2023/07/04
Version: J


Illustrations



Dimensional drawing



Drill pattern



See enlarged drawings at the end of document

Product specification

- PC board jack M12
- rear mounting
- 2-pole, A-coded according to IEC 61076-2-101
- THR solderable
- Top entry
- Contact carriers black
- IP67 when plugged in
- in individual parts
- suitable for applications in the railway industry according to data sheet

Data sheet

Page 2/4

PC board jack M12, A-coded, 2-pole, IP67, rear mounting, in individual parts

P/N
MMT371A915-0001
EAN 4251394632339
2023/07/04
Version: J

Technical Data

General Data

Dimensions

Dimension (D x H)	Ø 21.5 mm x 20.5 mm
Dimension (D x H)	0.846 in. x 0.807 in.
Ports	Single port
Solderability	Acc. to IPC/JEDEC J-STD-020E-MSL 1
Coding	A-coded

Electrical characteristics

Rated voltage	250 V
Current carrying capacity at 40 °C	4 A
Insulation resistance	min. 100 MOhm
Overvoltage category	II
Degree of pollution	2

Mechanical data

Material

Material - Housing	CuZnPb
Material - Contact	CuZnPb
Contact surface	Ni + Au
Material - Insulating body	LCP UL94 V0
Color	black
RoHS	compliant
Life - Number of mating cycles	>= 100
Protection category	IP67 when plugged in

Climatic properties

Temperature - Operating °C	-40 °C - 85 °C
Temperature - Operating °F	-40 °F - 185 °F

Approvals

Approval mark UL	pending
------------------	---------



U | Contact

Data sheet

Page 3/4

**PC board jack M12, A-coded, 2-pole, IP67,
rear mounting, in individual parts**

P/N

MMT371A915-0001

EAN 4251394632339

2023/07/04

Version: J

Technical Data

Packaging

Type of packaging	10 pc(s) / blister packaging
-------------------	------------------------------

Standards/Regulations

Railway applications

Electronic equipment used on rolling stock	following to DIN EN 50155
Fire protection on railway vehicles	following to DIN EN 45545-2

Classifications

ETIM 7.0	EC002637
ETIM 8.0	EC002637

U | Contact

Data sheet

**PC board jack M12, A-coded, 2-pole, IP67,
rear mounting, in individual parts**

Page 4/4

P/N

MMT371A915-0001


EAN 4251394632339

2023/07/04

Version: J

Illustrations

Dimensional drawing



Drill pattern

