

Data sheet

ISDN adapter with cable WE 8 - 2 x WE 8 R


Illustrations



Dimensional drawing



Wiring diagram



See enlarged drawings at the end of document

Product specification

- ISDN adapter with integrated terminating resistors for plug-in ISDN-S0 bus termination
- no slot lost when using this adapter with RJ45 jack
- input: RJ45 - WE8(8)
- output: 2 x RJ45 - WE8(8)
- terminating resistors: 2 x 100 Ohm
- variants: extensions 0.1 m or 6.0 m



P | Cabling

Data sheet

Page 2/4

ISDN adapter with cable WE 8 - 2 x WE 8 R

P/N

130606480101-E

EAN 4250184102373

2023/04/05

Version: AB

Technical Data

General Data

Mechanical measurement according to MICE	M1
Ingress measurement according to MICE	I1
Climatic measurement according to MICE	C1
Electromagnetic measurement according to MICE	E1
Design	Adapter
Shielding	unshielded
Transmission technology	Copper
Color	pearl white RAL 1013
Dimensions	
Dimension (L x W x H)	30.9 mm x 38.05 mm x 23.65 mm
Dimension (L x W x H)	1.217 in. x 1.498 in. x 0.931 in.
Labeling option	on housing

Connections/interfaces

Connector technology interface 1	RJ45 plug
Connector technology interface 2	2 x RJ45-jack
Number of ports interface 2	2
Number of ports interface 2 equipped	2
Number of positions/contacts interface 1	8P/8C
Number of positions/contacts interface 2	2 x 8P/8C
Cable access/outlet	180°
Connection cable length	0.1 m
Connection cable length	0.33 ft

Mechanical data

Life - Number of mating cycles	min. 750
Position/mounting of latch standard installation position	top

Materials and material properties

Halogen free	yes
RoHS	compliant

P | Cabling

Data sheet

Page 3/4

ISDN adapter with cable WE 8 - 2 x WE 8 R

P/N

130606480101-E

EAN 4250184102373

2023/04/05

Version: AB

Technical Data

Classifications

ETIM 5.0	EC000313
ETIM 6.0	EC000313
ETIM 7.0	EC000313
ETIM 8.0	EC000313
ETIM 9.0	EC000313

Packing details

Type of packaging	1 pc(s) / box
Packaging unit - Weight (gram)	50 g
Packaging unit - Weight (pound)	0.11 lb
Packaging dimension	83 mm x 32 mm x 67 mm
Packaging dimension	3.268 in. x 1.26 in. x 2.638 in.



P | Cabling

Data sheet

Page 4/4

ISDN adapter with cable WE 8 - 2 x WE 8 R

P/N

130606480101-E


EAN 4250184102373

2023/04/05

Version: AB

Illustrations

Dimensional drawing



Wiring diagram

