

P | Cabling

Data sheet

DCCS2 subassembly 4 port unequipped - Keystone

Page 1/4

P/N

130D2CKU4-E

EAN 4250184181309


2023/04/14

Version: D

Illustrations



Dimensional drawing



See enlarged drawings at the end of document

Product specification

- DCCS2 4 port subassembly unequipped for modular termination units in Keystone design
- solid stainless steel support
- fastening by a knurled screw in 19-inch subracks
- easy mounting/dismounting to/from 19-inch subracks in 19-inch cabinets (plug and play)
- design: DCCS2
- suitable RJ45 modules: 13B21-E, 130910KI, 130A10-I, 130A10-I-B1, 130A10-29-I, 130A10-29-I-B1, 130A08-I and 130A08-I-B1
- suitable RJ45 couplers: 1309A0-I
- suitable fiber optic modules: 15091001-I, 15091070-I, 15091071-I, 15091072-I, 15091075-I and 15091076-I



P | Cabling

Data sheet

Page 2/4

DCCS2 subassembly 4 port unequipped - Keystone

P/N

130D2CKU4-E

EAN 4250184181309

2023/04/14

Version: D

Technical Data

General Data

Fields of application	data center
Mechanical measurement according to MICE	M1
Ingress measurement according to MICE	I1
Climatic measurement according to MICE	C1
Electromagnetic measurement according to MICE	E3
Design	subassembly / assembly / module / unit
Mounting style	DCCS
Color	stainless steel

Connections/interfaces

Number of ports interface 2	4
Number of ports interface 2 equipped	0

Mechanical data

Cut-out	DCCS
strain relief	cable tie

Materials and material properties

Material - Housing	stainless steel
Halogen free	yes
RoHS	compliant

Classifications

ETIM 5.0	EC002697
ETIM 6.0	EC002697
ETIM 7.0	EC002697
ETIM 8.0	EC002697
ETIM 9.0	EC002697

Packing details

Type of packaging	1 pc(s) / box
Packaging dimension	230 mm x 60 mm x 45 mm
Packaging dimension	9.055 in. x 2.362 in. x 1.772 in.



P | Cabling

Data sheet

Page 3/4

DCCS2 subassembly 4 port unequipped - Keystone

P/N

130D2CKU4-E

EAN 4250184181309

2023/04/14

Version: D

Accessories

P/N	Designation
130898-0003KI	Keystone BLIND module light gray
130898-0029KI	Keystone BLIND module black
130898-0103KI	COAX modul F jack / F jack, Keystone
130898-0203KI	COAX modul IEC jack / F jack, Keystone
130898-0303KI	COAX modul IEC plug / F jack, Keystone
130910KI	E-DAT modul Cat.6 _A K jack - Keystone style
130910KZ	E-DAT modul Cat.6 _A K jack - Keystone style (12 pcs)
1309A0-I	E-DAT modul coupler 8(8) 180° class E _A
130A08-I-B1	UTP modul Cat.5e white
130A10-29-I-B1	UTP modul 8(8) Cat.6 black
130A10-I-B1	UTP modul 8(8) Cat.6 white
130A11-29KI	UTP modul 8(8) Cat.6 _A Keystone black
130A11KI	UTP modul 8(8) Cat.6 _A Keystone white
130B21-25-E	25Gmodul - Keystone
130B21-25-Z	25Gmodul - Keystone style (12 pcs)
130B21-E	C6 _A modul K 180° jack - keystone style
130B21-Z	C6 _A modul K 180° jack - Keystone style (12 pcs)
130D2B1B-E	DCCS2 BGT 19 inch 1RU subrack black
130D2B1G-E	DCCS2 BGT 19 inch 1RU subrack light gray
15091071-I	OpDAT modul LC-Duplex OS2
15091072-I	OpDAT modul LC-Duplex OM3
15091075-I	OpDAT modul LC-Duplex OM4
15091076-I	OpDAT modul LC-Duplex APC OS2
1509107B-I	OpDAT modul LC-Duplex OM2

P | Cabling

Data sheet

Page 4/4

DCCS2 subassembly 4 port unequipped - Keystone

P/N

130D2CKU4-E

EAN 4250184181309

2023/04/14

Version: D

Illustrations

Dimensional drawing

