

# P | Cabling

## Data sheet

### DIN Rail mounting bracket for wall outlets - horizontal mounting 50 mm, with separation cup

Page 1/8

P/N

1308895021-I

EAN 4250184105152


2023/09/05

Version: P

## Illustrations



Dimensional drawing



See enlarged drawings at the end of document

## Product specification

- Mounting bracket for easy mounting and compact installation of wall outlets in wall conduits to meet the maximum bending radii required for copper and fiber optic data cables.
- support rail fastening, horizontal 50 mm, compatible with: GGK BR and BRA, double raceway GGK BR, Heidemann raceway, Gewiss Nowaplast series NP and comparable manufacturers
- variants: 50 mm white, 50 mm white with separation cup, 52 mm black, 52 black with separation cup, 55 mm black, 55 mm black with separation cup



# P | Cabling

## Data sheet

Page 2/8

## DIN Rail mounting bracket for wall outlets - horizontal mounting 50 mm, with separation cup

P/N

1308895021-I

EAN 4250184105152

2023/09/05

Version: P

### Technical Data

#### General Data

|                                               |                                   |
|-----------------------------------------------|-----------------------------------|
| Mechanical measurement according to MICE      | M1                                |
| Ingress measurement according to MICE         | I1                                |
| Climatic measurement according to MICE        | C1                                |
| Electromagnetic measurement according to MICE | E3                                |
| Design                                        | Mounting bracket                  |
| Mounting style                                | Accessories                       |
| Color                                         | white                             |
| Dimensions                                    |                                   |
| Dimension (L x W x H)                         | 50 mm x 79.8 mm x 54 mm           |
| Dimension (L x W x H)                         | 1.969 in. x 3.142 in. x 2.126 in. |
| Installation Height                           | 50 mm                             |
| Installation Height                           | 1.969 in.                         |

#### Materials and material properties

|              |           |
|--------------|-----------|
| Halogen free | yes       |
| RoHS         | compliant |

#### Classifications

|          |          |
|----------|----------|
| ETIM 5.0 | EC000119 |
| ETIM 6.0 | EC000073 |
| ETIM 7.0 | EC002608 |
| ETIM 8.0 | EC002608 |
| ETIM 9.0 | EC002608 |

#### Packing details

|                                 |                                    |
|---------------------------------|------------------------------------|
| Type of packaging               | 10 pc(s) / plastic bag             |
| Packaging unit - Weight (gram)  | 424 g                              |
| Packaging unit - Weight (pound) | 0.93 lb                            |
| Packaging dimension             | 160 mm x 100 mm x 380 mm           |
| Packaging dimension             | 6.299 in. x 3.937 in. x 14.961 in. |



# P | Cabling

Data sheet

Page 3/8

## DIN Rail mounting bracket for wall outlets - horizontal mounting 50 mm, with separation cup

P/N

1308895021-I

EAN 4250184105152

2023/09/05

Version: P

### Accessories from

| P/N         | Designation                                                 |
|-------------|-------------------------------------------------------------|
| 130039101-I | IAE design 8(4)R UP miniature terminal block pearl white    |
| 130039111-I | IAE design 8(4)R UPk miniature terminal block pearl white   |
| 130039120-I | IAE design 8(4)R UP0 miniature terminal block               |
| 130040101-I | IAE design 2x8(4)R UP miniature terminal block pearl white  |
| 130040111-I | IAE design 2x8(4)R UPk miniature terminal block pearl white |
| 130040112-I | IAE design 2x8(4)R UPk miniature terminal block pure white  |
| 130040120-I | IAE design 2x8(4)R UP0 miniature terminal block             |
| 130060101-I | UAE design 8(8) UP miniature terminal block pearl white     |
| 130060102-I | UAE design 8(8) UP miniature terminal block pure white      |
| 130060111-I | UAE design 8(8) UPk miniature terminal block pearl white    |
| 130060112-I | UAE design 8(8) UPk miniature terminal block pure white     |
| 130060120-I | UAE design 8(8) UP0 miniature terminal block                |
| 130061101-I | UAE design 8/8(8) UP miniature terminal block pearl white   |
| 130061102-I | UAE design 8/8(8) UP miniature terminal block pure white    |
| 130061111-I | UAE design 8/8(8) UPk miniature terminal block pearl white  |
| 130061112-I | UAE design 8/8(8) UPk miniature terminal block pure white   |
| 130061120-I | UAE design 8/8(8) UP0 miniature terminal block              |
| 130062101-I | UAE design 2x8(8) UP miniature terminal block pearl white   |
| 130062102-I | UAE design 2x8(8) UP miniature terminal block pure white    |
| 130062111-I | UAE design 2x8(8) UPk miniature terminal block pearl white  |
| 130062112-I | UAE design 2x8(8) UPk miniature terminal block pure white   |
| 130062120-I | UAE design 2x8(8) UP0 miniature terminal block              |
| 130063101-I | UAE design 8(4) UP miniature terminal block pearl white     |
| 130063102-I | UAE design 8(4) UP miniature terminal block pure white      |
| 130063111-I | UAE design 8(4) UPk miniature terminal block pearl white    |
| 130063112-I | UAE design 8(4) UPk miniature terminal block pure white     |
| 130063120-I | UAE design 8(4) UP0 miniature terminal block                |
| 130064101-I | UAE design 8/8(4) UP miniature terminal block pearl white   |
| 130064102-I | UAE design 8/8(4) UP miniature terminal block pure white    |
| 130064111-I | UAE design 8/8(4) UPk miniature terminal block pearl white  |
| 130064112-I | UAE design 8/8(4) UPk miniature terminal block pure white   |
| 130064120-I | UAE design 8/8(4) UP0 miniature terminal block              |



# P | Cabling

Data sheet

Page 4/8

## DIN Rail mounting bracket for wall outlets - horizontal mounting 50 mm, with separation cup

P/N

1308895021-I

EAN 4250184105152

2023/09/05

Version: P

### Accessories from

|              |                                                                                           |
|--------------|-------------------------------------------------------------------------------------------|
| 130065101-I  | UAE design 2x8(4) UP miniature terminal block pearl white                                 |
| 130065102-I  | UAE design 2x8(4) UP miniature terminal block pure white                                  |
| 130065111-I  | UAE design 2x8(4) UPk miniature terminal block pearl white                                |
| 130065112-I  | UAE design 2x8(4) UPk miniature terminal block pure white                                 |
| 130065120-I  | UAE design 2x8(4) UP0 miniature terminal block                                            |
| 1307371001-I | E-DAT C6 1 port UP pearl white                                                            |
| 1307371002-I | E-DAT C6 1 port UP pure white                                                             |
| 1307371101-I | E-DAT C6 1 port UPk pearl white                                                           |
| 1307371102-I | E-DAT C6 1 port flush mounted trunking installation<br>pure white                         |
| 1307371200-I | E-DAT C6 1 port flush mounted without cover                                               |
| 1307381001-I | E-DAT C6 2 port UP pearl white                                                            |
| 1307381002-I | E-DAT C6 2 port UP pure white                                                             |
| 1307381101-I | E-DAT C6 2 port UPk pearl white                                                           |
| 1307381102-I | E-DAT C6 2 port flush mounted trunking installation<br>pure white                         |
| 1307381200-I | E-DAT C6 2 port flush mounted without cover                                               |
| 1307441001-I | E-DAT design 2 port UP Cat.6, pearl white                                                 |
| 1307441002-I | E-DAT design 2 port UP Cat.6, pure white                                                  |
| 1307441101-I | E-DAT design 2 port UPk Cat.6, pearl white                                                |
| 1307441102-I | E-DAT design 2 port flush mounted trunking installation<br>Cat.6, pure white              |
| 1307441200-I | E-DAT design 2 port flush mounted without cover Cat.6                                     |
| 1307444001-I | E-DAT design 2 port EK Cat.6, pearl white                                                 |
| 1307444002-I | E-DAT design 2 port EK Cat.6, pure white                                                  |
| 1309111001-E | E-DAT modul 1 port UP Cat.6 <sub>A</sub> , pearl white                                    |
| 1309111002-E | E-DAT modul 1 port UP Cat.6 <sub>A</sub> , pure white                                     |
| 1309111101-E | E-DAT modul 1 port UPk Cat.6 <sub>A</sub> , pearl white                                   |
| 1309111102-E | E-DAT modul 1 port flush mounted trunking installation<br>Cat.6 <sub>A</sub> , pure white |
| 1309111200-E | E-DAT modul 1 port flush mounted without cover Cat.6 <sub>A</sub>                         |
| 1309121001-E | E-DAT modul 2 port UP Cat.6 <sub>A</sub> , pearl white                                    |
| 1309121002-E | E-DAT modul 2 port UP Cat.6 <sub>A</sub> , pure white                                     |
| 1309121101-E | E-DAT modul 2 port UPk Cat.6 <sub>A</sub> , pearl white                                   |
| 1309121102-E | E-DAT modul 2 port flush mounted trunking installation<br>Cat.6 <sub>A</sub> , pure white |



# P | Cabling

Data sheet

Page 5/8

## DIN Rail mounting bracket for wall outlets - horizontal mounting 50 mm, with separation cup

P/N

1308895021-I

EAN 4250184105152

2023/09/05

Version: P

### Accessories from

|                |                                                                                        |
|----------------|----------------------------------------------------------------------------------------|
| 1309121200-E   | E-DAT modul 2 port flush mounted without cover Cat.6 <sub>A</sub>                      |
| 1309131001-E   | E-DAT modul 3 port UP Cat.6 <sub>A</sub> , pearl white                                 |
| 1309131002-E   | E-DAT modul 3 port UP Cat.6 <sub>A</sub> , pure white                                  |
| 1309131101-E   | E-DAT modul 3 port UPk Cat.6 <sub>A</sub> , pearl white                                |
| 1309131102-E   | E-DAT modul 3 port flush mounted trunking installation Cat.6 <sub>A</sub> , pure white |
| 1309131200-E   | E-DAT modul 3 port flush mounted without cover Cat.6 <sub>A</sub>                      |
| 1309141001-E   | Modul wall outlet UP 1 port pearl white unequipped                                     |
| 1309141002-E   | Modul wall outlet flush mounted 1 port unequipped pure white                           |
| 1309141101-E   | Modul wall outlet UPk 1 port pearl white unequipped                                    |
| 1309141102-E   | Modul wall outlet flush mounted trunking installation 1 port unequipped pure white     |
| 1309141200-E   | Modul wall outlet flush mounted without cover 3 port unequipped                        |
| 1309151001-E   | Modul wall outlet UP 2 port pearl white unequipped                                     |
| 1309151002-E   | Modul wall outlet flush mounted 2 port unequipped pure white                           |
| 1309151101-E   | Modul wall outlet UPk 2 port pearl white unequipped                                    |
| 1309151102-E   | Modul wall outlet flush mounted trunking installation 2 port unequipped pure white     |
| 1309151200-E   | Modul wall outlet flush mounted without cover 2 port unequipped                        |
| 1309160001-E   | Modul wall outlet AP 3 port pearl white unequipped                                     |
| 1309160002-E   | Modul wall outlet surface mounted 3 port unequipped pure white                         |
| 1309161001-E   | Modul wall outlet UP 3 port pearl white unequipped                                     |
| 1309161002-E   | Modul wall outlet flush mounted 3 port unequipped pure white                           |
| 1309161101-E   | Modul wall outlet UPk 3 port pearl white unequipped                                    |
| 1309161102-E   | Modul wall outlet flush mounted trunking installation 3 port unequipped pure white     |
| 130B11D11002-E | C6 <sub>A</sub> modul 1 port 180°M UP pure white                                       |
| 130B11D11102-E | C6 <sub>A</sub> modul 1 port 180°M flush mounted trunking installation pure white      |
| 130B11D11200-E | C6 <sub>A</sub> modul 1 port 180°M flush mounted without cover                         |
| 130B11D21002-E | C6 <sub>A</sub> modul 2 port 180°M UP pure white                                       |
| 130B11D21102-E | C6 <sub>A</sub> modul 2 port 180°M flush mounted trunking installation pure white      |



# P | Cabling

Data sheet

Page 6/8

## DIN Rail mounting bracket for wall outlets - horizontal mounting 50 mm, with separation cup

P/N

1308895021-I

EAN 4250184105152

2023/09/05

Version: P

### Accessories from

|                |                                                                                       |
|----------------|---------------------------------------------------------------------------------------|
| 130B11D21200-E | C6 <sub>A</sub> modul 2 port 180°M flush mounted without cover                        |
| 130B11D31002-E | C6 <sub>A</sub> modul 3 port 180°M UP pure white                                      |
| 130B11D31102-E | C6 <sub>A</sub> modul 3 port 180°M flush mounted trunking installation pure white     |
| 130B11D31200-E | C6 <sub>A</sub> modul 3 port 180°M flush mounted without cover                        |
| 130B12D11002-E | C6 <sub>A</sub> modul 1 port 270°M UP pure white                                      |
| 130B12D11102-E | C6 <sub>A</sub> modul 1 port 270°M flush mounted trunking installation pure white     |
| 130B12D11200-E | C6 <sub>A</sub> modul 1 port 270°M flush mounted without cover                        |
| 130B12D21002-E | C6 <sub>A</sub> modul 2 port 270°M UP pure white                                      |
| 130B12D21102-E | C6 <sub>A</sub> modul 2 port 270°M flush mounted trunking installation pure white     |
| 130B12D21200-E | C6 <sub>A</sub> modul 2 port 270°M flush mounted without cover                        |
| 130B12D31002-E | C6 <sub>A</sub> modul 3 port 270°M UP pure white                                      |
| 130B12D31102-E | C6 <sub>A</sub> modul 3 port 270°M flush mounted trunking installation pure white     |
| 130B12D31200-E | C6 <sub>A</sub> modul 3 port 270°M flush mounted without cover                        |
| 130B20D11002KE | Keystone wall outlet flush mounted 1 port unequipped pure white                       |
| 130B20D11102KE | Keystone wall outlet flush mounted trunking installation 1 port unequipped pure white |
| 130B20D11200KE | Keystone wall outlet flush mounted without cover 1 port unequipped                    |
| 130B20D21002KE | Keystone wall outlet flush mounted 2 port unequipped pure white                       |
| 130B20D21102KE | Keystone wall outlet flush mounted trunking installation 2 port unequipped pure white |
| 130B20D21200KE | Keystone wall outlet flush mounted without cover 2 port unequipped                    |
| 130B20D31002KE | Keystone wall outlet flush mounted 3 port unequipped pure white                       |
| 130B20D31102KE | Keystone wall outlet flush mounted trunking installation 3 port unequipped pure white |
| 130B20D31200KE | Keystone wall outlet flush mounted without cover 3 port unequipped                    |
| 130C371001-I   | E-DAT C6 <sub>A</sub> 1 port UP pearl white                                           |
| 130C371002-I   | E-DAT C6 <sub>A</sub> 1 port UP pure white                                            |
| 130C371101-I   | E-DAT C6 <sub>A</sub> 1 port UPk pearl white                                          |
| 130C371102-I   | E-DAT C6 <sub>A</sub> 1 port flush mounted trunking installation pure white           |

# P | Cabling

Data sheet

Page 7/8

## DIN Rail mounting bracket for wall outlets - horizontal mounting 50 mm, with separation cup

P/N

1308895021-I

EAN 4250184105152

2023/09/05

Version: P

### Accessories from

|              |                                                                                |
|--------------|--------------------------------------------------------------------------------|
| 130C371200-I | E-DAT C6 <sub>A</sub> 1 port flush mounted without cover                       |
| 130C381001-I | E-DAT C6 <sub>A</sub> 2 port UP pearl white                                    |
| 130C381002-I | E-DAT C6 <sub>A</sub> 2 port UP pure white                                     |
| 130C381101-I | E-DAT C6 <sub>A</sub> 2 port UPk pearl white                                   |
| 130C381102-I | E-DAT C6 <sub>A</sub> 2 Port flush mounted trunking installation<br>pure white |
| 130C381200-I | E-DAT C6 <sub>A</sub> 2 port flush mounted without cover                       |
| 1501200002-E | OpDAT 2 Ek unequipped duplex pure white                                        |
| 1501204102-E | OpDAT 2 Ek ST-D MM (Ph-Br) pure white                                          |
| 1501207202-E | OpDAT 4 Ek LC-Q MM (ceramic) pure white                                        |
| 150120C202-E | OpDAT 2 Ek SC-D MM                                                             |

# P | Cabling

Data sheet

Page 8/8

## DIN Rail mounting bracket for wall outlets - horizontal mounting 50 mm, with separation cup

P/N

1308895021-I

EAN 4250184105152

2023/09/05

Version: P

### Illustrations

Dimensional drawing

