

P | Cabling

Data sheet

OpDAT REG strain relief M20

Page 1/4

P/N

150240M20Z-E

EAN 4250184141464


2023/03/30

Version: M

Illustrations



Dimensional drawing



See enlarged drawings at the end of document

Product specification

- additional tension relief for OpDAT REGplus and/or OpDAT REGpro splice distributor
- M20 screw connection
- with tension relief for Kevlar
- additional strain relief for each splice distributor possible



P | Cabling

Data sheet

OpDAT REG strain relief M20

Page 2/4

P/N

150240M20Z-E

EAN 4250184141464

2023/03/30

Version: M

Technical Data

General Data

Mechanical measurement according to MICE	M1
Ingress measurement according to MICE	I1
Climatic measurement according to MICE	C1
Electromagnetic measurement according to MICE	E3
Design	strain relief
Mounting style	Accessories
Color	gray
Dimensions	
Dimension (W x H)	26.5 mm x 30.5 mm
Dimension (W x H)	1.043 in. x 1.201 in.

Materials and material properties

Halogen free	yes
RoHS	compliant

Classifications

ETIM 5.0	EC002066
ETIM 6.0	EC002939
ETIM 7.0	EC002939
ETIM 8.0	EC002939
ETIM 9.0	EC002939

Packing details

Type of packaging	1 pc(s) / plastic bag
Packaging unit - Weight (gram)	33 g
Packaging unit - Weight (pound)	0.07 lb
Packaging dimension	160 mm x 100 mm x 380 mm
Packaging dimension	6.299 in. x 3.937 in. x 14.961 in.



P | Cabling

Data sheet

Page 3/4

OpDAT REG strain relief M20

P/N

150240M20Z-E

EAN 4250184141464

2023/03/30

Version: M

Accessories from

P/N	Designation
15024A10-24-E	OpDAT REGpro24 housing without splice tray
15024A10-E	OpDAT REGpro housing without splice tray
15024A10S-E	OpDAT REGpro housing with splice tray and crimp splice holder
15024B10-E	OpDAT REG Splice Distributor for pre-terminated cables
15024B10S-E	OpDAT REG Splice Distributor for crimp splice holder
15024B10S-S	OpDAT REG Splice Distributor for shrink splice holder



P | Cabling

Data sheet

OpDAT REG strain relief M20

Page 4/4

P/N

150240M20Z-E

EAN 4250184141464

2023/03/30

Version: M

Illustrations

Dimensional drawing

