


Data sheet

OpDAT fix patch panel for 24xLC-Duplex/SC-Simplex/E2000

Illustrations



Dimensional drawing



See enlarged drawings at the end of document

Product specification

- 19 inch 1RU fiber optic patch panel for fixed installation
- unequipped
- light aluminum construction with steel sheet front plate painted (gray or black)
- removable front plate for easy adapter mounting
- screwed on cover for easy access during service work
- several possibilities for cable entry on the back (fastening with PG13.5, PG16 and PG21 or M20 and M25)

variants:	matching cutouts
24x LC-D	LC-D, SC-S, E2000-S
24x SC-D	SC-D, LC-Q, ST-D
24x E2000-D	E2000-D

P | Cabling

Data sheet

Page 2/6

OpDAT fix patch panel for 24xLC-Duplex/SC-Simplex/E2000

P/N

1502507300-E

EAN 4250184125037

2023/08/01

Version: U

Technical Data

General Data

Fields of application	office areas data center
Mechanical measurement according to MICE	M1
Ingress measurement according to MICE	I1
Climatic measurement according to MICE	C1
Electromagnetic measurement according to MICE	E3
Design	patch panel
Color	gray
Dimensions	
Dimension (L x W x H)	244.5 mm x 482.6 mm x 44.45 mm
Dimension (L x W x H)	9.626 in. x 19 in. x 1.75 in.
Inches	19 inches
Height unit	1RU
Installation depth	243 mm
Installation depth	9.567 in.
Labeling option	printed numbers

Connections/interfaces

Number of ports interface 1	24
Number of equipped ports interface 1	0
Number of ports interface 2	24
Number of ports interface 2 equipped	0
Cable access/outlet	several possibilities for cable entry on the back

Mechanical data

Cut-out	SC, LC-D, E2000
---------	-----------------

Materials and material properties

Material - Housing	Al (Aluminium)
Material - Front cover	sheet steel
Material - Cover	Al (Aluminium)
Halogen free	yes
RoHS	compliant



P | Cabling

Data sheet

Page 3/6

OpDAT fix patch panel for 24xLC-Duplex/SC-Simplex/E2000

P/N

1502507300-E

EAN 4250184125037

2023/08/01

Version: U

Technical Data

Environmental conditions

Temperature (min. - max.)

Temperature - Storage °C -40 °C - 70 °C

Temperature - Storage °F -40 °F - 158 °F

Temperature - Operating °C -40 °C - 70 °C

Temperature - Operating °F -40 °F - 158 °F

Classifications

ETIM 7.0 EC002006

ETIM 8.0 EC002006

ETIM 9.0 EC002006

Packing details

Type of packaging 1 pc(s) / box

Packaging unit - Weight (gram) 1500 g

Packaging unit - Weight (pound) 3.31 lb

Packaging dimension 580 mm x 405 mm x 70 mm

Packaging dimension 22.835 in. x 15.945 in. x 2.756 in.



Accessories

P/N	Designation
130792	Mounting kit, cage nuts M6
1502500000-E	OpDAT PF/fix patch cord tray, gray
15081106-E	OpDAT mounting plate VIK
150811M20-E	Cable gland M20 (Clamping range 7.0 to 12.0 mm)
150811M25-E	Cable gland M25 (Clamping range 10.0 to 16.0 mm)
15090057-I	OpDAT E2000 adapter OM2 (beige)
15090058-I	OpDAT adapter E2000-Simplex OS2
15090059-I	OpDAT adapter E2000-Simplex APC OS2
15090073-I	OpDAT LC-D Kupplung MM (Ph-Br, beige)
15090074-50	OpDAT adapter LC-Duplex OS2 - 50 pieces
15090074-I	OpDAT adapter LC-Duplex OS2
15090075-50	OpDAT adapter LC-Duplex OM4 - 50 pieces
15090075-I	OpDAT adapter LC-Duplex OM4
15090076-I	OpDAT adapter LC-Duplex APC OS2
15090077-I	OpDAT adapter LC-Duplex OM3
1509010000-E	OpDAT splice tray for 12 splices, unequipped
150922EO00-E	OpDAT pre-assembled splice tray 12xSC PC OM2
150922JO00-E	OpDAT pre-assembled splice tray 12xLC PC OM2
150925EO00-E	OpDAT pre-assembled splice tray 12xSC PC OM3
150925JO00-E	OpDAT pre-assembled splice tray 12xLC PC OM3
150929EO00-E	OpDAT pre-assembled splice tray 12xSC UPC OS2
150929JO00-E	OpDAT pre-assembled splice tray 12xLC UPC OS2
150929MA00-E	OpDAT pre-assembled splice tray 12xE2000 APC OS2
150929MO00-E	OpDAT pre-assembled splice tray 12xE2000 UPC OS2

P | Cabling

Data sheet

Page 5/6

OpDAT fix patch panel for 24xLC-Duplex/SC-Simplex/E2000

P/N

1502507300-E

EAN 4250184125037

2023/08/01

Version: U

Accessories from

P/N	Designation
15090076-50	OpDAT adapter LC-Duplex APC OS2 - 50 pieces
15090077-50	OpDAT adapter LC-Duplex OM3 - 50 pieces



P | Cabling

Data sheet

Page 6/6

OpDAT fix patch panel for 24xLC-Duplex/SC-Simplex/E2000

P/N

1502507300-E


EAN 4250184125037

2023/08/01

Version: U

Illustrations

Dimensional drawing



© 2023 METZ CONNECT - Technische Änderungen vorbehalten! Subject to modifications! Sous réserve de modifications techniques!

