


## Data sheet

### OpDAT slide patch panel for 24xLC-Duplex/SC-Simplex/E2000

## Illustrations



Dimensional drawing



See enlarged drawings at the end of document

## Product specification

- 19 inch 1RU fiber optic patch panel with pull-out splice tray / front cover (gray or black)
- splice tray can be tilted and removed completely for better mounting
- unequipped
- several possibilities for cable entry on the back (fastening with PG13.5, PG16 and PG21 or M20 and M25)

|             |                             |
|-------------|-----------------------------|
| variants:   | matching recesses           |
| 24x LC-D    | LC-D, SC-S, E2000-S         |
| 24x SC-D    | SC-D, LC-Q, ST-D, SC-D/ST-D |
| 24x E2000-D | E2000-D                     |



# P | Cabling

Data sheet

Page 2/5

## OpDAT slide patch panel for 24xLC-Duplex/SC-Simplex/E2000

P/N

1502607300-E

EAN 4250184190813

2023/04/14

Version: J

### Technical Data

#### General Data

|   |                               |
|---|-------------------------------|
| Fields of application                         | office areas<br>data center   |
| Mechanical measurement according to MICE      | M1                            |
| Ingress measurement according to MICE         | I1                            |
| Climatic measurement according to MICE        | C1                            |
| Electromagnetic measurement according to MICE | E3                            |
| Design  | patch panel                   |
| Mounting style                                | 1RU                           |
| Color   | metallike                     |
| Dimensions                                    |                               |
| Dimension (L x W x H)                         | 244 mm x 482.6 mm x 44.45 mm  |
| Dimension (L x W x H)                         | 9.606 in. x 19 in. x 1.75 in. |
| Inches  | 19 inches                     |
| Height unit                                   | 1RU                           |
| Installation depth                            | 240 mm                        |
| Installation depth                            | 9.449 in.                     |
| Labeling option                               | printed numbers               |

#### Connections/interfaces

|                                      |   |
|--------------------------------------|---|
| Number of ports interface 1          | 24  |
| Number of equipped ports interface 1 | 0   |
| Number of ports interface 2          | 24  |
| Number of ports interface 2 equipped | 0   |
| Cable access/outlet                  | several possibilities for cable entry on the back |

#### Mechanical data

|         |                 |
|---------|-----------------|
| Cut-out | SC, LC-D, E2000 |
|---------|-----------------|

#### Materials and material properties

|                        |                |
|------------------------|----------------|
| Material - Housing     | Al (Aluminium) |
| Material - Front cover | sheet steel    |
| Halogen free           | yes            |
| RoHS                   | compliant      |

# P | Cabling

Data sheet

Page 3/5

## OpDAT slide patch panel for 24xLC-Duplex/SC-Simplex/E2000

P/N

1502607300-E

EAN 4250184190813

2023/04/14

Version: J

### Technical Data

#### Classifications

|          |          |
|----------|----------|
| ETIM 7.0 | EC002006 |
| ETIM 8.0 | EC002006 |
| ETIM 9.0 | EC002006 |

#### Packing details

|                     |                                     |
|---------------------|-------------------------------------|
| Type of packaging   | 1 pc(s) / box                       |
| Packaging dimension | 523 mm x 361 mm x 45 mm             |
| Packaging dimension | 20.591 in. x 14.213 in. x 1.772 in. |



# P | Cabling

Data sheet

Page 4/5

## OpDAT slide patch panel for 24xLC-Duplex/SC-Simplex/E2000

P/N

1502607300-E

EAN 4250184190813

2023/04/14

Version: J

### Accessories

| P/N         | Designation  |
|-------------|--|
| 130792      | Mounting kit, cage nuts M6                               |
| 15081106-E  | OpDAT mounting plate VIK                                 |
| 150811M20-E | Cable gland M20 (Clamping range 7.0 to 12.0 mm)          |
| 150811M25-E | Cable gland M25 (Clamping range 10.0 to 16.0 mm)         |
| 15090012-I  | OpDAT SC adapter OM2 (beige)                             |
| 1509001A-I  | OpDAT adapter SC-Simplex APC OS2                         |
| 1509001B-I  | OpDAT adapter SC-Simplex UPC OS2                         |
| 1509001C-I  | OpDAT adapter SC-Simplex OM3                             |
| 1509001D-I  | OpDAT adapter SC-Simplex OM4                             |
| 15090057-I  | OpDAT E2000 adapter OM2 (beige)                          |
| 15090058-I  | OpDAT adapter E2000-Simplex OS2                          |
| 15090059-I  | OpDAT adapter E2000-Simplex APC OS2                      |
| 1509005G-I  | OpDAT adapter E2000-Simplex OM5                          |
| 1509005H-I  | OpDAT adapter E2000-Simplex OM3                          |
| 15090074-I  | OpDAT adapter LC-Duplex OS2                              |
| 15090075-I  | OpDAT adapter LC-Duplex OM4                              |
| 15090076-I  | OpDAT adapter LC-Duplex APC OS2                          |
| 15090077-I  | OpDAT adapter LC-Duplex OM3                              |
| 1509007B-I  | OpDAT adapter LC-Duplex OM2                              |
| 15090502-I  | Blind cover<br>LC-Duplex/SC-Simplex/E2000-Simplex black  |
| 15090503-I  | Blind cover LC-<br>Duplex/SC-Simplex/E2000-Simplex white |

# P | Cabling

Data sheet

## OpDAT slide patch panel for 24xLC-Duplex/SC-Simplex/E2000

Page 5/5

P/N

1502607300-E


EAN 4250184190813

2023/04/14

Version: J

### Illustrations

Dimensional drawing



© 2023 METZ CONNECT - Technische Änderungen vorbehalten! Subject to modifications! Sous réserve de modifications techniques!

