

# P | Cabling

## Data sheet

### OpDAT MV sealing set FO for 16x2-3 mm cable

Page 1/3

P/N


15036Z0301-S

EAN 4251394659657

2023/04/04

Version: A

## Illustrations



See enlarged drawings at the end of document

## Product specification

- sealing set for up to 16 cables with 2-3 mm diameter
- suitable for all IP65 variants of the OpDAT MV



# P | Cabling

Data sheet

Page 2/3

## OpDAT MV sealing set FO for 16x2-3 mm cable

P/N

15036Z0301-S

EAN 4251394659657

2023/04/04

Version: A

### Technical Data

#### General Data

|                       |                                                    |
|-----------------------|----------------------------------------------------|
| Fields of application | harsh environment<br>Distributed building services |
|-----------------------|----------------------------------------------------|

|        |             |
|--------|-------------|
| Design | cable guide |
|--------|-------------|

|                |             |
|----------------|-------------|
| Mounting style | Accessories |
|----------------|-------------|

|       |      |
|-------|------|
| Color | gray |
|-------|------|

#### Mechanical data

|                 |           |
|-----------------|-----------|
| Mounting method | pluggable |
|-----------------|-----------|

#### Materials and material properties

|          |                                             |
|----------|---------------------------------------------|
| Material | elastomer, flame-retardant and halogen free |
|----------|---------------------------------------------|

|      |           |
|------|-----------|
| RoHS | compliant |
|------|-----------|

#### Classifications

|          |          |
|----------|----------|
| ETIM 7.0 | EC000240 |
|----------|----------|

|          |          |
|----------|----------|
| ETIM 8.0 | EC000240 |
|----------|----------|

|          |          |
|----------|----------|
| ETIM 9.0 | EC000240 |
|----------|----------|

#### Packing details

1 pc(s)



# P | Cabling

Data sheet

Page 3/3

## OpDAT MV sealing set FO for 16x2-3 mm cable

P/N

15036Z0301-S

EAN 4251394659657

2023/04/04

Version: A

### Accessories from

| P/N           | Designation                                       |
|---------------|---------------------------------------------------|
| 15036000000-B | OpDAT MV unequipped IP65                          |
| 15036001A18-B | OpDAT MV 18xSC-S APC VIK IP65                     |
| 15036001D18-B | OpDAT MV 18xSC-S OM4 VIK IP65                     |
| 15036005F09-B | OpDAT MV 9xE2000-D APC VIK IP65                   |
| 15036007509-B | OpDAT MV 9xLC-D OM4 VIK IP65                      |
| 15036007609-B | OpDAT MV 9xLC-D APC VIK IP65                      |
| 1503600LB00-B | OpDAT MV universal IP65                           |
| 1503600RJ00-B | OpDAT MV hybrid 12xmodule cutouts unequipped IP65 |
| 15036C71D18-B | OpDAT MV 18xSC-S OM4 splice IP65                  |
| 15036C77509-B | OpDAT MV 9xLC-D OM4 splice IP65                   |
| 15036C91A18-B | OpDAT MV 18xSC-S APC OS2 splice IP65              |
| 15036C95F09-B | OpDAT MV 9xE2000-D APC OS2 splice IP65            |
| 15036C97609-B | OpDAT MV 9xLC-D APC OS2 splice IP65               |