

Data sheet**OpDAT VIK pulling aid IP50 size S**

Page 1/4

P/N

152Z0050S-E

EAN 4251394670546

2023/04/19

Illustrations

See enlarged drawings at the end of document

Product specification

- Sturdy corrugated tube for pulling in pre-assembled cables.
- for mounting on fixing sets or cable dividers
- Suitable for:
 - Universal cable up to 12 fibres
 - Outdoor cables up to 12 fibres
 - Mini breakout cables up to 4 fibres
 - Breakout cables up to 4 fibres



P | Cabling

Data sheet

Page 2/4

OpDAT VIK pulling aid IP50 size S

P/N

152Z0050S-E

EAN 4251394670546

2023/04/19

Technical Data

General Data

Color	black
Dimensions	
Dimension (L x W x H)	130 cm x 29.5 mm x 29.5 mm
Dimension (L x W x H)	5.118 in. x 1.161 in. x 1.161 in.
Weight	120 g
Weight	0.2646 lb

Mechanical data

Mounting method	screwable
-----------------	-----------

Materials and material properties

Material	PA (polyamide)
Halogen free	yes

Environmental conditions

Temperature (min. - max.)	
Temperature - Operating °C	-40 °C - 120 °C
Temperature - Operating °F	-40 °F - 248 °F
Particulate ingress	IP5X

Classifications

ETIM 7.0	EC002609
ETIM 8.0	EC002609
ETIM 9.0	EC002609

Packing details

Type of packaging	1 pc(s) / box
-------------------	---------------



P | Cabling

Data sheet

Page 3/4

OpDAT VIK pulling aid IP50 size S

P/N

152Z0050S-E

EAN 4251394670546

2023/04/19

Accessories from

P/N	Designation
152U045JJ5030G	OpDAT VIK Universal cable 4xOM3, LC-LC, 30 m, one-sided pulling aid IP50
152U045JJ5050G	OpDAT VIK Universal cable 4xOM3, LC-LC, 50 m, one-sided pulling aid IP50
152U045JJ5100G	OpDAT VIK Universal cable 4xOM3, LC-LC, 100 m, one-sided pulling aid IP50
152U047JJ5020G	OpDAT VIK Universal cable 4xOM4, LC-LC, 20 m, one-sided pulling aid IP50
152U047JJ5030G	OpDAT VIK Universal cable 4xOM4, LC-LC, 30 m, one-sided pulling aid IP50
152U047JJ5040G	OpDAT VIK Universal cable 4xOM4, LC-LC, 40 m, one-sided pulling aid IP50
152U047JJ5050G	OpDAT VIK Universal cable 4xOM4, LC-LC, 50 m, one-sided pulling aid IP50
152U047JJ5075G	OpDAT VIK Universal cable 4xOM4, LC-LC, 75 m, one-sided pulling aid IP50
152U047JJ5100G	OpDAT VIK Universal cable 4xOM4, LC-LC, 100 m, one-sided pulling aid IP50
152U049JJ5040G	OpDAT VIK Universal cable 4xOS2, LC-LC, 40 m, one-sided pulling aid IP50
152U085JJ5040G	OpDAT VIK Universal cable 8xOM3, LC-LC, 40 m, one-sided pulling aid IP50
152U085JJ5050G	OpDAT VIK Universal cable 8xOM3, LC-LC, 50 m, one-sided pulling aid IP50
152U085JJ5075G	OpDAT VIK Universal cable 8xOM3, LC-LC, 75 m, one-sided pulling aid IP50
152U085JJ5100G	OpDAT VIK Universal cable 8xOM3, LC-LC, 100 m, one-sided pulling aid IP50
152U087JJ5040G	OpDAT VIK Universal cable 8xOM4, LC-LC, 40 m, one-sided pulling aid IP50
152U087JJ5050G	OpDAT VIK Universal cable 8xOM4, LC-LC, 50 m, one-sided pulling aid IP50
152U087JJ5075G	OpDAT VIK Universal cable 8xOM4, LC-LC, 75 m, one-sided pulling aid IP50
152U087JJ5100G	OpDAT VIK Universal cable 8xOM4, LC-LC, 100 m, one-sided pulling aid IP50
152U125JJ5050G	OpDAT VIK Universal cable 12xOM3, LC-LC, 50 m, one-sided pulling aid IP50
152U125JJ5075G	OpDAT VIK Universal cable 12xOM3, LC-LC, 75 m, one-sided pulling aid IP50
152U127JJ5030G	OpDAT VIK Universal cable 12xOM4, LC-LC, 30 m, one-sided pulling aid IP50

P | Cabling

Data sheet

OpDAT VIK pulling aid IP50 size S

Page 4/4

P/N

15Z0050S-E

EAN 4251394670546

2023/04/19

Accessories from

152U127JJ5075G	OpDAT VIK Universal cable 12xOM4, LC-LC, 75 m, one-sided pulling aid IP50
152U129JJ5030G	OpDAT VIK Universal cable 12xOS2, LC-LC, 30 m, one-sided pulling aid IP50
152U129JJ5050G	OpDAT VIK Universal cable 12xOS2, LC-LC, 50 m, one-sided pulling aid IP50
152U129JJ5075G	OpDAT VIK Universal cable 12xOS2, LC-LC, 75 m, one-sided pulling aid IP50
152U129JJ5100G	OpDAT VIK Universal cable 12xOS2, LC-LC, 100 m, one-sided pulling aid IP50